


s♦abdullah[®]home

SMART INTELLIGENT
MIRROR COLLECTION

REDEFINING MIRROR AESTHETICS

More than 100,000 light guide dots, almost no light loss. High color rendering LED lamp beads, low power consumption and almost no color cast



smart adjustable light cct&brightness

Self Adjust To Meet Different Scenarios



White light
6000-6500K

Neutral light
4000-4500K

Warm light
3000-3500K



Stepless Toning



Brightness 100%

Brightness 50%


Brightness 10%



Stepless Dimming



RECTANGULAR SMART MIRROR



LIGHTING UP DIFFERENT
MIRROR AESTHETICS

0105130113





0105130113

SIZE
600x800mm

RECTANGLE SMART MIRROR

STRUCTURE
Aluminum

COLOR ADJUSTMENT

3 Color Temperature to Select
3000-3500K(warm light)/4000-4500K
(Neutral light)/6000-6500K(whitelight)

FUNTION

Touch Sensor / Anti-fog Function/ Color
Brightness adjustment/ Memory Function

INPUT VOLTAGE

110-240V

WATERPROOF


CERTIFICATE

UL CE CCC SAA ROHS

INSTALLATION STYLE

Horizontally and
Vertically Hanging

0105130112





0105130112

SIZE
1200x600mm

RECTANGLE SMART MIRROR

STRUCTURE
Aluminum

COLOR ADJUSTMENT

3 Color Temperature to Select
3000-3500K(warm light)/4000-4500K
(Neutral light)/6000-6500K(whitelight)

FUNTION

Touch Sensor / Anti-fog Function/ Color
Brightness adjustment/ Memory Function

INPUT VOLTAGE

110-240V

WATERPROOF


CERTIFICATE

UL CE CCC SAA ROHS

INSTALLATION STYLE

Horizontally and
Vertically Hanging

0105130114





0105130114

SIZE
600x800mm

RECTANGLE SMART MIRROR

STRUCTURE
Aluminum

COLOR ADJUSTMENT
3 Color Temperature to Select
3000-3500K(warm light)/4000-4500K
(Neutral light)/6000-65000K(whitelight)

FUNTION

Touch Sensor / Anti-fog Function/ Color
Brightness adjustment/ Memory Function

INPUT VOLTAGE
110-240V

WATERPROOF

CERTIFICATE

UL CE CCC SAA ROHS

INSTALLATION STYLE
Horizontally and
Vertically Hanging

0105130120



0105130120

RECTANGLE SMART MIRROR

CERTIFICATE
CE /ROHS



SIZE
600x800mm

STRUCTURE
Aluminum Holder

INPUT VOLTAGE
220-240V, 50/60HZ

INSTALLATION STYLE
Wall-hung

FUNTION

One Touch Sensor / Anti-fog Function/ Color
Temperature adjustment

0105130121



0105130121

RECTANGLE SMART MIRROR

CERTIFICATE

CE /ROHS



SIZE

600x800mm

STRUCTURE

Black Aluminum frame+
Silicone Lamp Shade

INPUT VOLTAGE

220-240V, 50/60HZ

INSTALLATION STYLE

Wall-hung



FUNTION

One Touch Sensor / Anti-fog Function/ Color
Temperature adjustment

0105130118



0105130118

RECTANGLE SMART MIRROR

CERTIFICATE

CE /ROHS



SIZE

500x1500mm

STRUCTURE


Black Aluminum frame+
Silicone Lamp Shade

INPUT VOLTAGE

220-240V, 50/60HZ

INSTALLATION STYLE

Wall hung
and floor standing



FUNTION

One Touch Sensor / Anti-fog Function/ Color
Temperature adjustment


ROUND SMART MIRROR



LIGHTING UP DIFFERENT
MIRROR AESTHETICS

REDEFINING MIRROR AESTHETICS

More than 100,000 light guide dots, almost no light loss. High color rendering LED lamp beads, low power consumption and almost no color cast



0105130122



0105130122

ROUND SMART MIRROR



CERTIFICATE

UL CE CCC SAA ROHS



SIZE

800x800mm

STRUCTURE

Aluminum

COLOR ADJUSTMENT

3 Color Temperature to Select
3000-3500K(warm light)/4000-4500K
(Neutral light)/6000-65000K(whitelight)

INPUT VOLTAGE

220-240V

WATERPROOF

IP44

FUNTION

Touch Sensor / Anti-fog Function/ Color
Brightness adjustment/ Memory Function

INSTALLATION STYLE

Horizontally and
Vertically Hanging

0105130123



0105130123

ROUND SMART MIRROR

CERTIFICATE

UL CE CCC SAA ROHS



SIZE
800x800mm

STRUCTURE
Black Aluminum

COLOR ADJUSTMENT
3 Color Temperature to Select
3000-3500K(warm light)/4000-4500K
(Neutral light)/6000-65000K(whitelight)

INPUT VOLTAGE
220-240V

WATERPROOF
IP44

FUNTION

One Touch Sensor / Anti-fog Function/ Color
Temperature adjustment

INSTALLATION STYLE
Horizontally and
Vertically Hanging



0105130116



0105130116

ROUND SMART MIRROR

CERTIFICATE

CE /ROHS



FUNTION

One Touch Sensor / Anti-fog Function/ Color Temperature adjustment

SIZE

1000x1000mm

STRUCTURE

Black Aluminum frame+
Silicone Lamp Shade

INPUT VOLTAGE

220-240V, 50/60HZ

INSTALLATION STYLE

Wall-hung

0105130119



0105130119

ROUND SMART MIRROR

CERTIFICATE

CE / ROHS



SIZE
1000x1000mm

STRUCTURE
Acrylic diffuser+
LED light only

INPUT VOLTAGE
220-240V, 50/60HZ

INSTALLATION STYLE
Wall-hung

FUNTION

One Touch Sensor / Anti-fog Function/ Color
Temperature adjustment



ARCH SMART MIRROR



LIGHTING UP DIFFERENT
MIRROR AESTHETICS

0105130117



0105130117

ARCH SMART MIRROR

CERTIFICATE

CE /ROHS



SIZE

500x1500mm

STRUCTURE

White Aluminum frame+
Silicone Lamp Shade

INPUT VOLTAGE

220-240V, 50/60HZ

INSTALLATION STYLE


Wall-hung

FUNTION

One Touch Sensor / Anti-fog Function/ Color
Temperature adjustment

Shadowless lighting

High-brightness color rendering, no flicker, low light decay, long life



Energy saving



Safety



Highlight




Back detail

More at ease for your daily use

Efficient and Safe Quality Assurance

IPX5 Waterproof UL/CE Certifications
RoHS/REACH Conformity



Space aluminum frame

Safe and firm, not easy to deform,
good heat dissipation Performance,
8 hooks to meet different suspension
methods

Closed back box

Protect the controller, power supply,
anti-fog film, and other components
to prevent moisture



s♦abdullah[®]home

  /sabdullahome

www.sabdullahome.com

UAN 111 722 722